




1	<pre>&lt;html&gt;   &lt;head&gt;     &lt;title&gt;...&lt;/title&gt;   &lt;/head&gt;   &lt;body&gt;     ...   &lt;/body&gt; &lt;/html&gt;</pre>	<pre>&lt;html&gt;   &lt;head&gt;     &lt;title&gt;卡夫奇妙醬&lt;/title&gt;   &lt;/head&gt;   &lt;body&gt;     煮來煮去都係果幾味，     鮮果蔬菜都比你悶死。   &lt;/body&gt; &lt;/html&gt;</pre>
2	<pre>&lt;html&gt; &lt;head&gt;   &lt;title&gt;唐詩&lt;/title&gt; &lt;/head&gt; &lt;body&gt;   春眠不覺曉，   處處聞啼鳥。   夜來風雨聲，   花落知多少？ &lt;/body&gt; &lt;/html&gt;</pre>	<pre>&lt;html&gt; &lt;head&gt;   &lt;title&gt;唐詩&lt;/title&gt; &lt;/head&gt; &lt;body&gt;   春眠不覺曉，&lt;br&gt;   處處聞啼鳥。&lt;br&gt;   夜來風雨聲，&lt;br&gt;   花落知多少？&lt;br&gt; &lt;/body&gt; &lt;/html&gt;</pre>
3	<pre>&lt;marquee behavior="scroll"&gt; marquee 跑馬燈 1&lt;/marquee&gt;  &lt;marquee behavior="slide" direction="right" loop="infinite"&gt; marquee 跑馬燈 2&lt;/marquee&gt;</pre>	<pre>&lt;marquee align="middle" bgcolor="#FFFF00" scrolldelay="200" scrollamount="50" height="50" width=80% behavior="alternate" loop="- 1" hspace="5" vspace="10" style="background-color: yellow; color: blue; border-style: outset; border-color: #FF00FF; padding: 1"&gt; 跑馬燈 3&lt;/marquee&gt;</pre>
4	<pre>&lt;body dir="rtl"&gt;   ABC College (right to left) &lt;/body&gt;  English &lt;bdo dir="rtl"&gt;Arabic&lt;/bdo&gt;  &lt;body dir="ltr"&gt;   ABC College &lt;/body&gt;</pre>	<pre>&lt;body background="images/school.gif" bgcolor="#FFFFCC" text="#003366" link="#9900FF" vlink="#3366FF" alink="#FF0000" bgproperties="fixed"&gt;  Non-breaking space &amp;nbsp; &amp;nbsp; &amp;nbsp;!!!  &lt;font size="5"&gt;字體=5 級&lt;/font&gt; general text 一般文字</pre>
5	<pre>&lt;!-- Comments / Remarks 註釋 --&gt;</pre>	<pre>&lt;bgsound src="sound/school.mid" loop="- 1"&gt;</pre>
6	<pre>&lt;a href="http://www.homail.com"&gt; Hyper Link to MS Hot Mail&lt;/a&gt;  &lt;a href="http://www.yahoo.com" target ="_blank"&gt;Link 1&lt;/a&gt;  &lt;a href="http://hk.geocities.com" target ="_self"&gt;Link 2&lt;/a&gt;</pre>	<pre>&lt;a href="ftp://ftp.hk.geocities.com"&gt; File Transfer Protocol&lt;/a&gt;  &lt;a href="http://www.lycos.com" target ="_top"&gt;Link 3&lt;/a&gt;  &lt;a href="http://www.msn.com" target ="_parent"&gt;Link 4&lt;/a&gt;</pre>

7	<p>My school   Your school   </p>	<pre>&lt;img src="images/school.gif"   lowsrc="images/tschool.gif"   align="middle"&gt; &lt;img src="images/school.gif" align="top"   border="2" hspace=20 vspace=30&gt; &lt;img src="images/school.gif"   align="bottom" usemap="#map1"&gt;</pre>
8	<pre>&lt;img border="0" dynsrc="bee.avi"   start="fileopen" loop="infinite" controls   align="middle" width=320 height="266"&gt;  &lt;img border="0" dynsrc="bee.avi"   start="fileopen, mouseover"   align="baseline" width="320"   height="240" hspace="2" vspace="3"&gt;</pre>	<pre>&lt;strong&gt;Strong 粗體&lt;/strong&gt; &lt;b&gt;Bold 粗體&lt;/b&gt; &lt;i&gt;Italic 斜體&lt;/i&gt; &lt;u&gt;Underline 底線&lt;/u&gt; &lt;em&gt;Emphasize 強調&lt;/em&gt; &lt;sup&gt;Superscript 上標&lt;/sup&gt; &lt;sub&gt;Subscript 下標&lt;/sub&gt; &lt;tt&gt;Teletype 打字&lt;/tt&gt; &lt;big&gt;Big&lt;/big&gt; &lt;mark&gt;HighLight&lt;/mark&gt; &lt;small&gt;Small&lt;/small&gt;</pre>
9	<pre>&lt;img src="x.gif" align="left"&gt; before BREAK &lt;br clear="none"&gt; after BREAK</pre> <div style="display: flex; align-items: center; margin-top: 10px;"> <div style="border: 1px solid black; width: 40px; height: 40px; margin-right: 10px;"></div> <div style="text-align: center;"> <p>before BREAK</p> <p>after BREAK</p> </div> </div>	<pre>&lt;img src="x.gif" align="left"&gt; before BREAK &lt;br clear="left"&gt; after BREAK</pre> <div style="display: flex; align-items: center; margin-top: 10px;"> <div style="border: 1px solid black; width: 40px; height: 40px; margin-right: 10px;"></div> <div style="text-align: center;"> <p>before BREAK</p> <p>after BREAK</p> </div> </div>
10	<pre>&lt;img src="x.gif" align="right"&gt; before BREAK &lt;br clear="right"&gt; after BREAK</pre> <div style="display: flex; align-items: center; margin-top: 10px;"> <div style="margin-right: 10px;"> <p>before BREAK</p> <p>after BREAK</p> </div> <div style="border: 1px solid black; width: 40px; height: 40px; margin-right: 10px;"></div> </div>	<pre>&lt;img src="x.gif" align="left"&gt; before BREAK &lt;br clear="all"&gt; after BREAK</pre> <div style="display: flex; align-items: center; margin-top: 10px;"> <div style="border: 1px solid black; width: 40px; height: 40px; margin-right: 10px;"></div> <div style="text-align: center;"> <p>before BREAK</p> <p>after BREAK</p> </div> </div>
11	<pre>&lt;nobr&gt;   no break; no break; no break; no break;   no break; no break; no break; no break; &lt;/nobr&gt;</pre>	<pre>&lt;h1&gt;Heading 1&lt;/h1&gt; &lt;h2&gt;Heading 2&lt;/h2&gt; &lt;h3&gt;Heading 3&lt;/h3&gt; &lt;h4&gt;Heading 4&lt;/h4&gt; &lt;h5&gt;Heading 5&lt;/h5&gt; &lt;h6 align="center"&gt;Heading 6&lt;/h6&gt;</pre>
12	<pre>ordinary text 一般文字 &lt;pre&gt; pre-formatted text 預定格式 煮來煮去都係果幾味， 鮮果蔬菜都比你悶死。 用卡夫奇妙醬， 創出假日風味。 &lt;/pre&gt;</pre>	<pre>卡夫奇妙醬 &lt;blockquote&gt;   &lt;p&gt;煮來煮去都係果幾味，   &lt;p&gt;鮮果蔬菜都比你悶死。 &lt;/blockquote&gt;   &lt;blockquote&gt;   &lt;p&gt;用卡夫奇妙醬，   &lt;p&gt;創出假日風味。 &lt;/blockquote&gt; &lt;/blockquote&gt;</pre>

13	<pre>&lt;basefont size="7" color="#0000ff"   face="arial"&gt;  &lt;font size="6" color="#ff0000"   face="arial"&gt; ABC College&lt;/font&gt;  &lt;center&gt;卡夫奇妙醬&lt;/center&gt;</pre>	<pre>問：世界上最長的是什麼車？ &lt;a href="#answer"&gt;答案&lt;/a&gt;  ... &lt;a name="answer"&gt;答：塞車  &lt;p align="left"&gt;西瓜 Melon&lt;/p&gt; &lt;p align="center"&gt;西瓜 Melon&lt;/p&gt; &lt;p align="right"&gt;西瓜 Melon&lt;/p&gt;</pre>
14	<pre>Unordered List 項目符號 &lt;ul&gt;   &lt;li&gt;HK&lt;/li&gt;   &lt;li&gt;Kln&lt;/li&gt; &lt;/ul&gt;</pre>	<pre>Ordered List 自動編號 &lt;ol&gt;   &lt;li&gt;HK&lt;/li&gt;   &lt;li&gt;Kln&lt;/li&gt; &lt;/ol&gt;</pre>
15	<pre>&lt;ul type="disc"&gt;●   &lt;li&gt;HK&lt;/li&gt;   &lt;li&gt;Kln&lt;/li&gt; &lt;/ul&gt;</pre>	<pre>&lt;ol type="1" start="101"&gt;   &lt;li&gt;HK&lt;/li&gt;   &lt;li&gt;Kln&lt;/li&gt; &lt;/ol&gt;</pre>
16	<pre>&lt;ul type="circle"&gt;○   &lt;li&gt;HK&lt;/li&gt;   &lt;li&gt;Kln&lt;/li&gt; &lt;/ul&gt;</pre>	<pre>&lt;ol type="i"&gt;   &lt;li&gt;i. HK&lt;/li&gt;   &lt;li&gt;ii. Kln&lt;/li&gt; &lt;/ol&gt;</pre>
17	<pre>&lt;ul type="square"&gt;■   &lt;li&gt;HK&lt;/li&gt;   &lt;li&gt;Kln&lt;/li&gt; &lt;/ul&gt;</pre>	<pre>&lt;ol type="a"&gt;   &lt;li&gt;a. HK&lt;/li&gt;   &lt;li&gt;b. Kln&lt;/li&gt; &lt;/ol&gt;</pre>
18	<pre>&lt;ul&gt;   &lt;li type="disc"&gt;HK&lt;/li&gt;   &lt;li type="circle"&gt;Kln&lt;/li&gt;   &lt;li type="square"&gt;NT&lt;/li&gt; &lt;/ul&gt;</pre>	<pre>&lt;ol type="A"&gt;   &lt;li value="2"&gt;HK&lt;/li&gt;   &lt;li value="4"&gt;Kln&lt;/li&gt;   &lt;li value="6"&gt;NT&lt;/li&gt; &lt;/ol&gt;</pre>
19		<pre>&lt;ol&gt;   &lt;li type="A" value="3"&gt;HK&lt;/li&gt;   &lt;li type="I" value="6"&gt;Kln&lt;/li&gt; &lt;/ol&gt;</pre>
20		
21	<pre>&lt;table width=60% border=0 cellpadding=2   cellspacing=3 align=center bgcolor=pink&gt; &lt;tr&gt;   &lt;td width="20%" align="left"&gt;cell 1&lt;/td&gt;   &lt;td width=20% align="center"&gt;cell 2&lt;/td&gt;   &lt;td width=20% align="right"&gt;cell 3&lt;/td&gt; &lt;/tr&gt;</pre>	<pre>&lt;tr&gt;   &lt;td align="center"&gt;cell 4&lt;/td&gt;   &lt;td align="center"&gt;cell 5&lt;/td&gt;   &lt;td align="center"&gt;cell 6&lt;/td&gt; &lt;/tr&gt;  &lt;/table&gt;</pre>
22	<pre>borders &lt;table frame="above"&gt; &lt;table frame="below"&gt; &lt;table frame="hsides"&gt; &lt;table frame="vsides"&gt;</pre>	<pre>&lt;table frame="void"&gt; &lt;table frame="lhs"&gt; &lt;table frame="rhs"&gt; &lt;table frame="box"&gt; &lt;table frame="border"&gt;</pre>

23	inter-grid lines <pre>&lt;table rules="none"&gt; &lt;table rules="all"&gt; &lt;table rules="rows"&gt; &lt;table rules="cols"&gt;</pre>	distance between cells <pre>&lt;table cellSpacing=5&gt; distance between cell &amp; left frame &lt;table cellPadding=3&gt;</pre>
24	<pre>&lt;table width=80% border=1&gt;   &lt;thead&gt;     &lt;tr&gt;       &lt;td&gt;Cell 0&lt;/td&gt;     &lt;/tr&gt;   &lt;/thead&gt;   &lt;tbody align="right" valign="bottom"&gt;     &lt;tr&gt;       &lt;td height=40&gt;Cell 1&lt;/td&gt;       &lt;td&gt;Cell 2&lt;/td&gt;     &lt;/tr&gt;   &lt;/tbody&gt;   &lt;tfoot&gt;     &lt;tr&gt;       &lt;td&gt;Cell 3&lt;/td&gt;     &lt;/tr&gt;   &lt;/tfoot&gt; &lt;/table&gt;</pre>	<pre>&lt;table width=80% border=1&gt;   &lt;tbody align="center" valign="middle"&gt;     &lt;tr&gt;       &lt;td height=40&gt;Cell 1&lt;/td&gt;       &lt;td&gt;Cell 2&lt;/td&gt;     &lt;/tr&gt;   &lt;/tbody&gt; &lt;/table&gt;</pre>
25	<pre>&lt;table border=2&gt;   &lt;caption align="left"&gt;卡夫...&lt;/caption&gt;   &lt;tr align="center" valign="middle"     bgcolor=cyan&gt;     &lt;td height=50&gt;煮來煮去... , &lt;/td&gt;   &lt;/tr&gt;   &lt;tr align="center" valign="bottom"     bgcolor="#00CC00"&gt;     &lt;td height=50&gt;鮮果蔬菜... 。 &lt;/td&gt;   &lt;/tr&gt; &lt;/table&gt;</pre>	卡夫奇妙醬 
26	<pre>&lt;table border=2&gt;   &lt;caption align="top"&gt;卡夫奇妙醬   &lt;/caption&gt; &lt;/table&gt;  &lt;table border=2&gt;   &lt;caption align="bottom"&gt;卡夫奇妙醬   &lt;/caption&gt; &lt;/table&gt;</pre>	<pre>&lt;hr size=5 width=50% align=center color=red noshade&gt;</pre>

<p>27</p>	<pre>&lt;table width=80% border=1 align=center&gt;   &lt;tr align=center&gt;     &lt;td colspan=3&gt;Cell 1&lt;/td&gt;   &lt;/tr&gt;   &lt;tr align=center&gt;     &lt;td&gt;Cell 2&lt;/td&gt;     &lt;td rowspan=2&gt;Cell 3&lt;/td&gt;     &lt;td&gt;Cell 4&lt;/td&gt;   &lt;/tr&gt;   &lt;tr&gt;     &lt;td nowrap&gt;Cell 5&lt;/td&gt;     &lt;td&gt;Cell 6&lt;/td&gt;   &lt;/tr&gt; &lt;/table&gt;</pre>	 <p>tr = table row 橫行 align=center 置中 rowspan=2 佔 2 行 td = table data (column) 欄 bgcolor="#FFE2DD" nowrap 不要自動換列</p>
<p>28</p>	<pre>&lt;table border=1 cellpadding=5&gt;   &lt;tr&gt;     &lt;th&gt;Name:&lt;/th&gt;     &lt;td&gt;Chan Tai Man&lt;/td&gt;   &lt;/tr&gt;   &lt;tr&gt;     &lt;th&gt;Class:&lt;/th&gt;     &lt;td&gt;F.4A&lt;/td&gt;   &lt;/tr&gt; &lt;/table&gt;</pre>	<p>border 邊界</p>  <p>tr = table row 橫行 th = head (bold, center) td = table data (column) 直欄</p>
<p>29</p>	<pre>&lt;frameset rows="70%,*"&gt;   &lt;frame&gt;   &lt;frame&gt; &lt;/frameset&gt;</pre>	<p>70%</p> <hr/> <p>30%</p>
<p></p>	<pre>&lt;frameset cols="50%,30%,*"&gt;   &lt;frame&gt;   &lt;frame&gt;   &lt;frame&gt; &lt;/frameset&gt;</pre>	<p>50%      30%      20%</p>
<p>30</p>	<pre>&lt;frameset rows="70%,*"&gt;   &lt;frame&gt;   &lt;frameset cols="50%,*"&gt;     &lt;frame&gt;     &lt;frame&gt;   &lt;/frameset&gt; &lt;/frameset&gt;</pre>	<pre>&lt;frameset cols="20%,*"&gt;   &lt;frame&gt;   &lt;frameset rows="30%,*"&gt;     &lt;frame&gt;     &lt;frame&gt;   &lt;/frameset&gt; &lt;/frameset&gt;</pre>
<p>31</p>	<pre>&lt;frameset rows="70%,*" cols="50%,*"&gt;   &lt;frame name="banner" src="head.htm"&gt;   &lt;frame&gt;   &lt;frame name="main" src="main.htm"&gt;   &lt;frame&gt; &lt;/frameset&gt;</pre>	<pre>&lt;frame frameborder=0 noresize&gt; &lt;frame scrolling="auto"&gt; &lt;frame scrolling="yes"&gt; &lt;frame scrolling="no"&gt; &lt;frame marginheight="5"&gt; &lt;frame marginwidth="5"&gt;</pre>
<p>32</p>	<pre>&lt;noframes&gt;   &lt;frameset ...&gt;     ...   &lt;/frameset&gt; &lt;/noframes&gt;</pre>	<pre>&lt;body&gt; 網頁中的網頁   &lt;p&gt;煮來煮去都係果幾味，&lt;p&gt;   &lt;iframe src="selcolor.htm"&gt;&lt;/iframe&gt;   &lt;p&gt;鮮果蔬菜都比你悶死。&lt;p&gt; &lt;/body &gt;</pre>

33	<pre>&lt;iframe name="frame01" src="chp1.htm" width="40%" height=400 align="top"&gt;  &lt;iframe name="frame02" src="chp2.htm" align="left" scrolling="auto"&gt;</pre>	<pre>&lt;iframe name="frame03" src="chp3.htm" iframeborder=1 scrolling="no"&gt;  &lt;iframe name="frame04" src="chp4.htm" marginwidth=20 marginheight=20&gt;</pre>
34	<pre>&lt;img src="images/hkmap.jpg" usemap="#map1"&gt; image hypertext 圖形超連結 &lt;map name="map1"&gt; &lt;area href="t1.htm" alt="HK map" coords="0,0,50,50" target="main"&gt; &lt;area href="t2.htm" shape="circle" coords="100,100,20"&gt; &lt;area href="t3.htm" shape="rect" coords="0,200,100,270"&gt; &lt;area href="t4.htm" shape="poly" coords="150,200,100,250,200,250"&gt; &lt;/map&gt;</pre>	
35	<pre>&lt;meta HTTP-EQUIV="REFRESH" content="10; url=https://mrszeto.net"&gt; redirection to ... 自動跳到另一網頁  &lt;META HTTP-EQUIV="Site-Enter" content="revealTrans(Duration=1.0,Transition=15)"&gt; Site Enter Effect 進入時效果  &lt;META HTTP-EQUIV="Site-Exit" content="revealTrans(Duration=1.0,Transition=16)"&gt; Site Exit Effect 離開時效果</pre>	
36	<pre>FORM 表單 <a href="https://mrszeto.net/home/javascript/form.htm">https://mrszeto.net/home/javascript/form.htm</a> &lt;form name="form1" method="POST" action="register.php"&gt;   &lt;input type="hidden" name="level" value="F.7"&gt;   &lt;input type="text" name="name" size="36" value="Chan Tai Man"&gt;   &lt;input type="password" name="pwd" size="10" value="123456"&gt;   &lt;textarea name="comment" rows="3" cols="40"&gt;comments&lt;/textarea&gt;    &lt;input type="checkbox" name="elective" value="ICT"&gt;Computer   &lt;input type="checkbox" name="elective" value="Math"&gt;Mathematics    &lt;input type="radio" name="gender" value="m" checked&gt;Male   &lt;input type="radio" name="gender" value="f"&gt;Female    &lt;select size="5" name="yob" style="font-size: 12pt"&gt;     &lt;option value="4" selected&gt;2004&lt;/option&gt;     &lt;option value="5"&gt;2005&lt;/option&gt;     &lt;option value="6"&gt;2006&lt;/option&gt;   &lt;/select&gt;   &lt;input type="file" name="myfile"&gt;    &lt;input type="submit" value="Submit" name="B1"&gt;   &lt;input type="reset" value="Reset" name="B2"&gt; &lt;/form&gt;</pre>	
37	<pre>Send more than 512 bytes of information to Server   &lt;form name="form1" method="POST" action="..." target="_blank"&gt; Send not more than 512 bytes of information to Server   &lt;form name="form2" method="GET" action="..."&gt;</pre>	
38	<pre>&lt;form name="form2" method="GET" action="..." onsubmit="p1()" onreset="p2()"&gt;</pre>	

39	<pre> &lt;form name="form3" method="POST" action="..."&gt;   &lt;input type="text" name="school" value="Lancaster University" disabled&gt;   &lt;input type="text" name="tutor" value="Mr. Roger Garside" readonly&gt;   &lt;label for="X"&gt;College&lt;/label&gt;   &lt;input id="X" name="college" value="Pendle College"&gt;    &lt;select size="1" name="Q1" multiple&gt;     &lt;option value="a"&gt;A. HTML&lt;/option&gt;     &lt;option value="b"&gt;B. PHP&lt;/option&gt;     &lt;option value="c"&gt;C. Javascript&lt;/option&gt;   &lt;/select&gt; &lt;/form&gt; </pre>
40	<pre> &lt;html&gt; &lt;head&gt; &lt;script language="JavaScript"&gt;   function test1(){     alert("Welcome");   }   function test2(){     alert("Hello");   } &lt;/script&gt; &lt;/head&gt; &lt;body&gt;   &lt;input type="button" onclick="test1()" onmouseover=test2()&gt; &lt;/body&gt; &lt;/html&gt; </pre> <p style="text-align: right; border: 1px solid blue; padding: 5px; transform: rotate(-15deg); display: inline-block;"> <a href="https://www.w3schools.com/js/js_events.asp">https://www.w3schools.com/js/js_events.asp</a> </p>
41	<pre> &lt;head&gt; &lt;LINK REL="StyleSheet" HREF="css/default.css" TYPE="text/css"&gt;  &lt;style type="text/css" media="screen"&gt;   font {color:blue; font-size:20}   #D1 {color:red; font-size:30}   #D2 {color:rgb(255,0,0); font-size:30}   .C1 {color:green; font-size:40}   th,td {font-family: "lucida console"; font-size:10pt; white-space: nowrap; } &lt;/style&gt; &lt;/head&gt;  &lt;body&gt;   &lt;font&gt;HTML tag&lt;/font&gt;   &lt;font id=D1&gt;ID1&lt;/font&gt;   &lt;font class=C1&gt;Class&lt;/font&gt;   &lt;span style={color:navy;}&gt;Special&lt;/span&gt;   &lt;span id=D2&gt;ID2&lt;/span&gt; &lt;/body&gt; </pre>
42	<pre> &lt;button onclick="document.getElementById('demo').innerHTML=Date()"&gt; The time is?&lt;/button&gt;  &lt;p id="demo"&gt;&lt;/p&gt; </pre>

```
<table border=2>
  <tr>
    <td> A1 </td>
    <td> A2 </td>
    <td> A3 </td>
  </tr>
  <tr>
    <td> B1 </td>
    <td> B2 </td>
    <td> B3 </td>
  </tr>
  <tr>
    <td> C1 </td>
    <td> C2 </td>
    <td> C3 </td>
  </tr>
  <tr>
    <td> D1 </td>
    <td> D2 </td>
    <td> D3 </td>
  </tr>
</table>
```

```
<table border>
  <tr>
    <td colspan=3> A1, A2, A3 </td>
  </tr>
  <tr>
    <td> B1 </td>
    <td colspan=2> B2, C2 </td>
    <td> B3 </td>
  </tr>
  <tr>
    <td> C1 </td>
    <td colspan=2> C3 </td>
  </tr>
</table>
```

```
<table bgcolor=lavender cellpadding=5 cellspacing=10>
  <tr>
    <td> 姓名 : </td>
    <td> 陳大文 </td>
  </tr>
  <tr>
    <td> 班別 : </td>
    <td> 5A </td>
  </tr>
  <tr>
    <td> 出生日期 : </td>
    <td> 25/12/2005 </td>
  </tr>
</table>
```

圖片 image :

```

```

超連結 hyperlink :

```
<a href="http://mail.yahoo.com">Yahoo mail</a>
```

```
<a href="http://www.hotmail.com">Hotmail</a>
```

```
<a href="http://gmail.google.com">Gmail</a>
```

```
<A HREF="index.html" target="_blank"
  onMouseOver="document.pict.src= 'images/pic001.png' "
  onMouseOut="document.pict.src= 'images/pic002.png' ">
  
</A>
```

```

```

<https://mrszeto.net/ict/web-ict/text2table.htm>

<https://mrszeto.net/ict/web-ict/html-test.htm>